


# ALTITUDE™ X 36 DIRECT VENT GAS FIREPLACE




## Specifications

Model	BTU	Width		Height		Depth		Glass Size
		Actual	Framing	Actual	Framing	Actual	Framing	
AX36NTE	36,500	35 1/4	35 3/4	42 7/16	43 5/8	18 3/4	19	25 3/4 x 30 11/16
AX36PTE	35,000			42 7/16	43 5/8			


## Dimensions



## Appliance Location



## Combustible Mantel Clearances




W415-1931 / A / 01.15.20

# ALTITUDE™ X 36 DIRECT VENT GAS FIREPLACE




Product information provided is not complete and is subject to change without notice. Please consult the installation manual for the most up to date installation information.

## Wall Penetration



## Flush & Recessed Framing




W415-1931 / A / 01.15.20


## Spécifications

Modèle	BTU	Largeur		Hauteur		Profondeur		Taille de verre
		Réel	Ossature	Réel	Ossature	Réel	Ossure	
AX36NTE	36 500	35 1/4	35 3/4	42 7/16	43 5/8	18 3/4	19	25 3/4 x 30 11/16
AX36PTE	35 000							


## Dimensions



## Emplacement de l'Appareil




## Dégagements Combustible de la Tablette



L'information du produit fourni n'est pas complet et est sujet de changer sans préavis. Consultez le manuel d'installation pour information d'installation actuel.

## Pénétration du Mur



## Encadrement Affleuré et Encastré

